

Package: SurrogateBMA (via r-universe)

November 1, 2024

Type Package

Title Flexible Evaluation of Surrogate Markers with Bayesian Model Averaging

Version 1.0

Date 2024-01-21

Description Provides functions to estimate the proportion of treatment effect explained by the surrogate marker using a Bayesian Model Averaging approach. Duan and Parast (2023)
<[doi:10.1002/sim.9986](https://doi.org/10.1002/sim.9986)>.

License GPL (>= 2)

Imports Rcpp (>= 1.0.9), MCMCpack, mvtnorm, Rsurrogate

LinkingTo Rcpp, RcppEigen, RcppNumerical

Depends R (>= 3.5.0)

LazyData true

Repository <https://yunshandys.r-universe.dev>

RemoteUrl <https://github.com/yunshandys/surrogatebma>

RemoteRef HEAD

RemoteSha 60a8a205d264a2a4ef029c536537a618fa8ea978

Contents

exampleData	2
gen.prior	2
post.model	3
R.BMA.est	4

Index	6
--------------	----------

exampleData	<i>Example data</i>
-------------	---------------------

Description

Example data

Usage

```
data("exampleData")
```

Format

A data frame with 400 rows and 3 variables:

Y the primary outcome

S the surrogate marker

A the treatment arm

Examples

```
data(exampleData)  
names(exampleData)
```

gen.prior	<i>Generates the default prior hyperparameters</i>
-----------	--

Description

Generates a list of hyper-parameters we use by default in the inverse-Gamma-Normal prior for the variance and coefficients, including `a0_list`, `b0_list`, `mu0_list`, `Gamma0_list`, `Gamma0_inv_list`, each being a list of 5 with 5 parameters under the 5 different candidate models. An Inv-Gamma(a_0 , b_0) - Normal(μ_0 , σ^2 Gamma0) prior is assumed.

Usage

```
gen.prior()
```

Value

A list of hyper-parameters, including `a0_list`, `b0_list`, `mu0_list`, `Gamma0_list`, `Gamma0_inv_list`, each being a list of 5 with 5 parameters under the 5 different candidate models.

Author(s)

Yunshan Duan

References

Duan, Y. and Parast, L., 2023. Flexible evaluation of surrogate markers with Bayesian model averaging. *Statistics in Medicine*.

Examples

```
gen.prior()

# if we want to change the prior parameter a0 in model 1
prior.para <- gen.prior()
prior.para$a0_list[[1]] <- 1
```

post.model	<i>Calculates the posterior probability of the candidate models</i>
------------	---

Description

Gives the posterior probability of each candidate model being true.

Usage

```
post.model(Y, S, A, prior.para = NULL)
```

Arguments

Y	numeric vector; primary outcome, assumed to be continuous.
S	numeric vector; surrogate marker, assumed to be continuous.
A	numeric vector; treatment arm, assumed to be binary. The treatment arm = 1 when the patient is enrolled in the treatment group, treatment arm = 0 when in the control group.
prior.para	a list of hyper-parameters in the inverse-Gamma-Normal prior for the variance and coefficients, including a0_list, b0_list, mu0_list, Gamma0_list, Gamma0_inv_list, each being a list of 5 with 5 parameters under the 5 different candidate models. An Inv-Gamma(a0, b0) - Normal(mu0, σ^2 Gamma0) prior is assumed.

Value

a numeric vector; the posterior probabilities of the candidate models.

Author(s)

Yunshan Duan

References

Duan, Y. and Parast, L., 2023. Flexible evaluation of surrogate markers with Bayesian model averaging. *Statistics in Medicine*.

Examples

```
data(exampleData)
post.model(Y = exampleData$Y, S = exampleData$S, A = exampleData$A)
```

R.BMA.est

*Calculates the proportion of treatment effect explained***Description**

Calculates the proportion of treatment effect on the primary outcome explained by the treatment effect on the surrogate marker using Bayesian Model Averaging (BMA). This function is intended to be used for a fully observed continuous outcome and one single continuous surrogate marker. The user can also request to calculate a 95% credible interval, evaluated by Bayesian bootstrapping. A robust option is provided where we choose a more preferable approach between the BMA and non-parametric methods based on cross-validation.

Usage

```
R.BMA.est(Y, S, A, method = "BMA", nmc = 500, nBB = 100, conf.int = TRUE,
alpha = 0.05, prior.para = NULL, kfold.k = 3)
```

Arguments

Y	numeric vector; primary outcome, assumed to be continuous.
S	numeric vector; surrogate marker, assumed to be continuous.
A	numeric vector; treatment arm, assumed to be binary. The treatment arm = 1 when the patient is enrolled in the treatment group, treatment arm = 0 when in the control group.
method	"BMA" or "robust"; Default is "BMA". If method = "robust", we choose a more preferable approach between the BMA and non-parametric methods based on cross-validation.
nmc	number of MCMC samples in posterior inference, default is 500.
nBB	number of replicates in Bayesian bootstrap, default is 100. Ignored if conf.int = FALSE.
conf.int	TRUE or FALSE; indicates whether a 95% credible interval for the proportion explained is requested, default is TRUE.
alpha	the confidence level for the credible interval, the 100(1 - α)% credible interval is calculated. Default is 0.05, ignored if conf.int = FALSE.
prior.para	a list of hyper-parameters in the inverse-Gamma-Normal prior for the variance and coefficients, including a0_list, b0_list, mu0_list, Gamma0_list, Gamma0_inv_list, each being a list of 5 with 5 parameters under the 5 different candidate models. An Inv-Gamma(a0, b0) - Normal(mu0, σ^2 Gamma0) prior is assumed.
kfold.k	the value of k in k-fold cross validation, default is 3. Ignored if method = "BMA".

Value

<code>R.est</code>	the estimate of the proportion explained by the surrogate marker.
<code>p.model</code>	the posterior probability of the candidate models being true.
<code>ci</code>	the credible (confidence) interval for the proportion explained by the surrogate marker.

Author(s)

Yunshan Duan

References

Duan, Y. and Parast, L., 2023. Flexible evaluation of surrogate markers with Bayesian model averaging. *Statistics in Medicine*.

Examples

```
data(exampleData)
R.BMA.est(Y = exampleData$Y, S = exampleData$S, A = exampleData$A)
```

Index

`exampleData`, 2

`gen.prior`, 2

`post.model`, 3

`R.BMA.est`, 4